

Google scholar

package OR program path search precedence

Search

[Advanced Scholar Search](#)[Scholar Preferences](#)☐ Search only in Engineering, Computer Science, and Mathematics.☐ Search in all subject areas.

Scholar



Articles excluding paid



- 2003 include citations

Results 1 - 10 of about 11,700. (0.38 sec)

[\[PDF\] A tabu search approach to task scheduling on heterogeneous processors under precedence constraints](#)

[psu.edu \[PDF\]](#)

SCS Porto, CC Ribeiro - International Journal of high speed computing, 1995 - Citeseer

... The topology of the Mean Value Analysis solution **package** for product form queueing networks ...

undirected graph (the task interaction graph), where the nodes correspond to **program** tasks and ...

In some instances, a good **search path** will result in revisiting a solution encountered ...

[Cited by 83](#) - [Related articles](#) - [View as HTML](#) - [BI Direct](#) - [All 9 versions](#)

[A stochastic parts **program** and noun phrase parser for unrestricted text](#)

[upenn.edu \[PDF\]](#)

KW Church - Proceedings of the second conference on Applied ..., 1988 - portal.acm.org

... In particular, the **path**, PPSS VB IN NN scores less well than the **path** PPSS VB AT NN ... The **search**

continues two more iterations, assuming blank parts of speech for words out of range. ... The **program**

inserts brackets into a sequence of parts of speech, producing output such as: ...

[Cited by 1183](#) - [Related articles](#) - [All 31 versions](#)

[Optimal and near-optimal allocation of **precedence**-constrained tasks to parallel processors: defying the high complexity using effective **search** techniques](#)

[psu.edu \[PDF\]](#)

I Ahmad, YK Kwok - icpp, 1998 - computer.org

... However, we assume every module of a parallel **program** can be executed on any ... proposed

several state-space **search** approaches for scheduling DAGs with arbitrary **precedence** relations. ...

lower-bound estimate of the exact minimum cost of the **search path** from the initial state ...

[Cited by 23](#) - [Related articles](#) - [All 10 versions](#)

[Modelling parallel **program** behaviour in ALPES](#)

JP Kitajima, B Plateau - Information and Software Technology, 1994 - Elsevier

... logics corresponds to an integer containing the value of the shortest **path** currently computed ...

is a simulation system developed on top of DEMOS, a discrete event modelling **package** written

in ... The parallel **program** (assumed to be correct) is modelled as a directed graph where ...

[Cited by 17](#) - [Related articles](#) - [All 2 versions](#)

A review of process fault detection and diagnosis:: Part II: Qualitative models and **search** strategies

[psu.edu](#) [PDF]

V Venkatasubramanian, R Rengaswamy, SN ... - Computers & Chemical ..., 2003 - Elsevier

... An expert system is a computer **program** that mimics the cognitive behavior of a human expert ... automatically ensures the presence of SCPs (only SCPs) because invoking a complex **path** results in ... The problem of fault-tree synthesis can be formulated as a **search** in finite state ...

[Cited by 192](#) - [Related articles](#) - [All 12 versions](#)

DISLOG: programming in logic with discontinuities

P Saint-Dizier - Computational Intelligence, 1990 - interscience.wiley.com

... Modalities and **precedence** restrictions do not, however, introduce fundamental differences in the logical foundations of DISLOG ... The Herbrand interpretation of a DISLOG **program** based on a first-order language, L, is a ... For example, if we consider the **program path** given in Sect ...

[Cited by 9](#) - [Related articles](#) - [All 2 versions](#)

Efficient first order functional **program** interpreter with time bound certifications

JY Marion, JY Moyaen - ... of the 7th international conference on Logic ..., 2000 - portal.acm.org

... Finally, we could use this result to analyse proof **search** based on ordered resolution as proposed by Basin ... The Multiset **Path** Ordering (MPO) is a syntactic termination ordering which was introduced by Plaisted [32] and ... MPO is widely employed to prove **program** terminations. ...

[Cited by 50](#) - [Related articles](#) - [BI Direct](#) - [All 7 versions](#)

[PDF] The higher-order recursive **path** ordering

[psu.edu](#) [PDF]

JP Jouannaud, A Rubio - Fourteenth Annual IEEE Symposium on Logic ..., 1999 - Citeseer

... of which the most popular one is the recursive **path** ordering [6]. Our contribution to this **program** is a reduction ordering for typed higher-order terms which conservatively extends Dershowitz's recursive **path** ordering for first-order terms. In the latter, the **precedence** rule allows ...

[Cited by 98](#) - [Related articles](#) - [View as HTML](#) - [All 15 versions](#)

Scatter **search** and **path** relinking: Advances and applications

[psu.edu](#) [PDF]

F Glover, M Laguna, R Marti - Handbook of metaheuristics, 2003 - Springer

... The problem was formulated as a multiobjective integer **program** with a total preference and workload- fairness objective functions, and can be stated as follows: consider a set of proctors at a large university. ... Page 15. Scatter **Search** and **Path** Relinking 15 accordingly (eg ...

[Cited by 137](#) - [Related articles](#) - [BI Direct](#) - [All 13 versions](#)


An efficient microcode-compiler for custom DSP-processors

[128.32.63.27](#) [PDF]

G Goossens, J Rabaey, J Vandewalle, ... - The Best of iccad: 20 ..., 2003 - books.google.com

... 1. 0.2 @... CD 0. 0.5 scheduled RTs @@@@ convergence reached*— Figure 2. Scheduling of repetitive **program**, obtained from ... of 2 inner iteration steps.(The selection index is a modified critical-**path** measure ... This fact encumbers the locality of the **search** process ...

[Cited by 43](#) - [Related articles](#) - [All 7 versions](#)



Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

package OR program path search p

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google

Google scholar

path precedence order

Search

[Advanced Scholar Search](#)[Scholar Preferences](#)
☐ Search only in Engineering, Computer Science, and Mathematics.

☐ Search in all subject areas.

Scholar

Articles excluding pat

- 2003 include citations

Results 1 - 10 of about 15,800. (0.37 sec)

[\[PDF\] The higher-order recursive path ordering](#)[psu.edu](#) [PDF]

JP Jouannaud, A Rubio - Fourteenth Annual IEEE Symposium on Logic ..., 1999 - Citeseer
 ... of which the most popular one is the recursive path ordering [6]. Our contribution to this program is a reduction ordering for typed higher-order terms which conservatively extends Dershowitz's recursive path ordering for first-order terms. In the latter, the precedence rule allows ...

[Cited by 36](#) - [Related articles](#) - [View as HTML](#) - [All 15 versions](#)
[\[PDF\] XML path language \(XPath\) 2.0](#)[jussieu.fr](#) [PDF]

A Berglund, S Boag, D Chamberlin ... - W3C ..., 2002 - www.licence.ufr-info-p6.jussieu.fr
 ... Expressions 3.1.1 Literals 3.1.2 Variables 3.1.3 Parenthesized Expressions 3.1.4 Function Calls
 3.1.5 XPath Comments 3.2 Path Expressions 3.2.1 ... A.2 Lexical structure A.2.1 Whitespace Rules
 A.2.2 Lexical Rules A.3 Reserved Function Names A.4 Precedence Order B Type ...

[Cited by 395](#) - [Related articles](#) - [View as HTML](#) - [All 7 versions](#)
[Optimal FPGA module placement with temporal precedence constraints](#)[psu.edu](#) [PDF]

S Fekete, E Köhler, J Teich - ... on Design, automation and test in ..., 2001 - portal.acm.org
 ... In order to deal with precedence constraints, we also consider ... v2 v1 v3 v v v2 1 v3 v2 v E t t Figure
 7. Implications for edges and their orientations: Above are path implications (D1, left) and
 transitivity implications (D2, right); below the forced orientations of edges. ...

[Cited by 89](#) - [Related articles](#) - [All 28 versions](#)
[The first-order theory of lexicographic path orderings is undecidable](#)
[H Comon, R Treinen - Theoretical Computer Science, 1997 - Elsevier](#)

... The two following lemmata show what needs to be done in order to prove this equivalence. ... at
 least) one binary symbol f, one unary symbol g and one constant 0. The 3^*V^* fragment of the
 theory of a lexicographic path ordering extending a precedence in which 0 is a ...

[Cited by 56](#) - [Related articles](#) - [All 12 versions](#)
[The failure and recovery problem for replicated databases](#)

PA Bernstein, N Goodman - ... of the second annual ACM symposium ..., 1983 - portal.acm.org
 ... Thus L 3 is not I-SR. To tell if an rd log is I-SR, we use a modified serialization graph. We need some graph terminology first. Given a graph G, \ll denotes its **precedence order**: $vi \ll vj$ if there is a **path** from vi to vj in G. Let V' be a subset of G's nodes. ...

[Cited by 141](#) - [Related articles](#) - [All 2 versions](#)

Postman tour on a graph with **precedence** relation on arcs

M Dror, H Stern, P Trudeau - Networks, 1987 - interscience.wiley.com

... H' as follows: the nodes in this optimal TSP **path** follow exactly the **order** in which the sets E_i , $i = 3, \dots, k-1$ are traversed in the CPP solution. It is clear that the difference between the value of the optimal Chinese Postman solution on H' with the general **precedence** relation and ...

[Cited by 25](#) - [Related articles](#) - [All 2 versions](#)

Modeling and analysis of workflows using Petri nets

[imamu.edu.sa](#) [PDF]

NR Adam, V Atluri, WK Huang - Journal of Intelligent Information Systems, 1998 - Springer

... 2. There is no **precedence order** imposed between the states cm_i and abi and in fact are two mutually exclusive states. We say cm_i is a complementary state of abi , and vice versa (denoted as $cm_i = abi$ and $abi = cm_i$). ... **precedence order**: $sti \cdot stj$ • incompatible state set: $\{sti, stj\}$...

[Cited by 256](#) - [Related articles](#) - [BL Direct](#) - [All 9 versions](#)

Rewrite orderings for higher-**order** terms in [eta]-long [beta]-normal form and the recursive **path** ordering* 1

[psu.edu](#) [PDF]

JP Jouannaud, A Rubio - Theoretical Computer Science, 1998 - Elsevier

... Our contribution is precisely the definition of a recursive **path** ordering for higher **order** terms operating on terms in long normal form. This ordering extends, on one hand a **precedence** on the function symbols, on the other hand a wellfounded ordering on the type structure. ...

[Cited by 30](#) - [Related articles](#) - [All 8 versions](#)

A monotonic higher-**order** semantic **path** ordering

[psu.edu](#) [PDF]

C Borralleras, A Rubio - Logic for Programming, Artificial Intelligence, ..., 2001 - Springer

... alternative to transformation methods, more powerful term orderings like the semantic **path** ordering (SPO ... SPO generalizes RPO by replacing the **precedence** on function symbols by any (well-founded ... Hence, in **order** to ensure termination, apart from checking that the rules of the ...

[Cited by 14](#) - [Related articles](#) - [BL Direct](#) - [All 19 versions](#)


Dynamic scheduling of real-time tasks under **precedence** constraints

H Chetto, M Silly, T Bouchentouf - Real-Time Systems, 1990 - Springer

... in G. So, graph G induces a partial **order** " $<$ " on δ , defined by $Si < Sj$ if and only if G contains a directed **path** from the node ... tasks S^* implies the adherence with the timing requirements of δ .

We shall now prove there exists a valid schedule which verifies the **precedence order** on δ ...

[Cited by 141](#) - [Related articles](#) - [All 3 versions](#)





Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

path precedence order

Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google

Google scholar

search path precedence order

Search

[Advanced Scholar Search](#)[Scholar Preferences](#)

Scholar



Articles and patents

anytime

include citations

Results 1 - 10 of about 85,300. (0.17 sec)

[CITATION] Allocation and scheduling of **precedence**-related periodic tasks

K Ramamritham - IEEE Transactions on Parallel and Distributed Systems, 1995

[Cited by 180](#) - [Related articles](#) - [All 9 versions](#)**[PDF]** A tabu **search** approach to task scheduling on heterogeneous processors under **precedence** constraints[psu.edu](#) **[PDF]**

SCS Porto, CC Ribeiro - International Journal of high speed computing, 1995 - Citeseer

... In some instances, a good **search path** will result in revisiting a solution encountered 7 ... The basic tabu **search** metaheuristic is now specialized into a specific algorithm for the task ... in Figure 1.Renumber all tasks in a topological **order** according to the task **precedence** graph in ...[Cited by 83](#) - [Related articles](#) - [View as HTML](#) - [PL Direct](#) - [All 9 versions](#)**[PDF]** Improved confusion network algorithm and shortest **path search** from word lattice[tuc.gr](#) **[PDF]**

J Xue, Y Zhao - Proc. ICASSP, 2005 - kefallonia.telecom.tuc.gr

... Section 2 introduces the basic concepts of confusion network. Section 3 presents the fast CN algorithm. In section 4 the shortest **path search** algorithm is derived. ... ICASSP 2005 →Page 2. **precedence order** of the links encoded in the original lattice. ...[Cited by 18](#) - [Related articles](#) - [View as HTML](#) - [All 9 versions](#)**[PDF]** Evolutionary local **search** with variable neighborhood for the resource constrained project scheduling problem[193.125.180.5](#) **[PDF]**

Y Kochetov, A Stolyar - ... of the 3rd international workshop of ..., 2003 - 193.125.180.5

... We propose an evolutionary algorithm based on **path** relinking strategy and tabu **search** with variable neighborhood. Computational experiments are made for the PSPLib data set. ... A partial **order** representing **precedence** relations between activities is given. ...[Cited by 20](#) - [Related articles](#) - [View as HTML](#) - [All 5 versions](#)**[PDF]** Optimal FPGA module placement with temporal **precedence** constraints[psu.edu](#) **[PDF]**

S Fekete, E Kohler, J Teich - ... on Design, automation and test in ..., 2001 - portal.acm.org

... In **order** to deal with **precedence** constraints, we also consider orientations of the comparability edges. This means that during the course of our tree **search**, we can have three different ... Figure 7. Implications for edges and their ori- entations: Above are **path** implications (D1, left ...[Cited by 89](#) - [Related articles](#) - [All 26 versions](#)**[PDF]** Optimal and near-optimal allocation of **precedence**-constrained tasks to parallel processors: defying the high complexity[psu.edu](#) **[PDF]**

using effective search techniques

I Ahmad, YK Kwok - icpp, 1998 - computer.org

... is to assign the nodes to the processors and arrange the execution **order** of the ... proposed several state-space **search** approaches for scheduling DAGs with arbitrary **precedence** relations. ... lower-bound estimate of the exact minimum cost of the **search path** from the initial state ...

Cited by 23 - Related articles - All 10 versionsA review of process fault detection and diagnosis:: Part II: Qualitative models and search strategiespsu.edu [PDF]

V Venkatasubramanian, R Rengaswamy, SN ... - Computers & Chemical ..., 2003 - Elsevier

... ensures the presence of SCPs (only SCPs) because invoking a complex **path** results in ... The problem of fault-tree synthesis can be formulated as a **search** in finite state ... simultaneous—a recognition of the presence of asymmetry (partial or complete **precedence order** among the ...

Cited by 132 - Related articles - All 12 versionsJob-shop scheduling: An investigation in constraint-directed reasoningutoronto.ca [PDF]

MS Fox, B Allen, G Strohm - Proceedings of The National Conference on ..., 1982 - aaai.org

... Examples of gating constraints are operation **precedence** and resource requirements. Preference constraints are a fourth category. ... tion's members. For example, an **order** of priority- ... strain& weight and rating at the state for later use in explaining a schedules **search path**. ...

Cited by 75 - Related articles - All 8 versions[PDF] Programming in MATLABtu-darmstadt.de [PDF]

ME Hernter - celli - uib tu-darmstadt.de

... 315 LOOKFOR, 48,106,159,161 LOWER, 28, 223,224 lower integer, 106-107 lower **precedence**, 2 lowercase ... 372 math operators, 2 mathematical sysbols, 381 MATLAB student version, 352 MATLAB **path**, 52 add directory, 55 changing, 54 MATLAB **search path**, 67 addition ...

Cited by 24 - Related articles - View as HTML - Library Search - All 3 versionsA hybrid scatter search/electromagnetism meta-heuristic for project schedulingpsu.edu [PDF]

D Debels, B De Reyck, R Leus, M ... - European Journal of ..., 2006 - Elsevier

... (2004) propose to use a combination of scatter **search**, **path** relinking, and ... Our **search** strategy is cast into an SS framework, as outlined in Section 3. Section 4 describes the ... is represented by a linear extension of the partial **order** induced by the **precedence** constraints, such that ...

Cited by 66 - Related articles - All 24 versions☒ Create email alert

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 Next

search path precedence order

Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google